


# Prevent spindle failure

Oil+air lubrication with innovative micro-metering unit and sensor monitoring directly behind the mixing valve



- Increased safety due to self-venting
- Shortened commissioning time
- Improved monitoring of oil+air current

# Shorter commissioning times

due to the self-venting MV50x micro-metering unit

*The newly developed MV50x series extends the metered quantity ranges and upgrades the MV20x-20 series. It allows minimum metered quantities of 2 and 6 mm<sup>3</sup>.*

*Due to self-venting during each pump operation/stroke, it ensures a supply of oil without bubbles to the metering unit in the MV50x.*



## Features

- Smallest metered quantities: 2 mm<sup>3</sup>, 6 mm<sup>3</sup>
- Self-venting
- Oil+air units with MV20x metering units can be upgraded with MV50x
- Modular construction

## Advantages


- Easy metering changes – without disassembly of metering unit and lines
- Shortened commissioning time
- High level of metering consistency
- Increased safety

# More flexible monitoring

due to the GSx011-S300 oil+air sensor

*Optoelectronic oil air sensors are implemented to monitor oil+air mixtures.*

*The GSx011-S300 sensor allows for monitoring directly behind the mixing valve, which significantly shortens the response time in the case of error messages and increases system safety.*



## Features

- Monitoring directly behind the mixing valve
- Starting at 2 mm<sup>3</sup>/metering pulse
- Signal pulse after successful metering
- Fast and simple installation

## Advantages

- Short response time in the case of missing oil metering
- Very short running-in time
- No teaching procedure required
- Increased system safety due to combined use with oil-streak sensors of the GSx011-S20 or GSx011-S50 series

**Order No. 1-0994-EN**

Subject to change without notice! (07/2014)

**SKF Lubrication Systems Germany GmbH**

Motzener Strasse 35/37 · 12277 Berlin · Germany

PF 970444 · 12704 Berlin · Germany

Tel. +49 (0)30 72002-0 · Fax +49 (0)30 72002-111

[www.skf.com/lubrication](http://www.skf.com/lubrication)

**Further brochures**

1-0986-EN Oil+air lubrication system

1-0993-EN Micro-metering unit MV50x

1-1700-3-EN Control units for oil and air lubrication

1-1704-EN Flow monitors and sensors

1-5012-3-EN Oil+air systems for lubricating  
spindles, linear guides, racks and pinions

1-9201-EN Transport of Lubricants in Centralized Lubrication Systems

This brochure was presented by:

® SKF is a registered trademark of the SKF Group.

© SKF Group 2014

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

